

Electric Scissor Lifts (1)

JCPT 8.0 , JCPT 9.5



รายละเอียดผลิตภัณฑ์อาจมีการเปลี่ยนแปลงโดยมิได้แจ้งให้ทราบล่วงหน้า



Electric Scissor Lifts I

JCPT(I)



Rails folded

JCPT8(I)/JCPT9.5(I)



S.W.L	
JCPT8(I).....	450 kg
JCPT9.5(I).....	400 kg
S.W.L on extension.....	112 kg





Working height	
JCPT8(I).....	10.00m
JCPT9.5(I).....	11.50m
Platform floor height	
JCPT8(I).....	8.00m
JCPT9.5(I).....	9.50m



Overall length.....	2.51m
Overall width.....	1.15m
Overall height.....	2.45m
Platform size.....	2.50 X 1.12m
Platform extension size.....	1.27m
Ground clearance.....	0.12m
Wheelbase.....	2.08m
Turning radius	
Inside/Outside.....	1.93/3.74m



Drive motors.....	2X24VDC/1.5kw
Lifting motor.....	24VDC/3kw



Travel speed	
Stowed.....	4 km/h
Raised.....	1.1 km/h
Up/Down speed	
JCPT8(I).....	70/60 sec
JCPT9.5(I).....	89/88 sec



Batteries.....	4X6V/250Ah
Integrated charger.....	24V/25A



Gradeability.....	35%
Maximum slope.....	3°



Tyres.....	φ406X125mm
------------	------------



Weight	
JCPT8(I).....	2200kg
JCPT9.5(I).....	2280kg

Standard equipment

- Can Bus Technology
- Proportional controls
- Automatic Pothole Protection
- Battery charge indicator
- Swing gate on platform
- Hour Meter
- Safety brackets
- Forklift pockets
- Fault indicator on platform
- Low voltage alarm
- Emergency down button
- Extended platform
- Charger protection
- Horn
- Tilt alarm
- Tilt protection
- Controller temperature protection
- Traction batteries with big capacity
- Over loading limited
- 2WD

Options

- AC power on the platform
- Flashing beacons