

Electric Aerial Order Picker (Trinal Mast)

ZDYT 3 - 3.5 , ZDYT 3 - 4.0 , ZDYT 3 - 4.5







Electric Aerial Order Picker

ZDYT (Trinal masts)

ZDYT3-3.5/ZDYT3-4.0/ZDYT3-4.5

 S.W.L.....300 kg

 Working height
 ZDYT3-3.55.50m
 ZDYT3-4.06.00m
 ZDYT3-4.56.50m
 Platform floor height
 ZDYT3-3.53.50m
 ZDYT3-4.04.00m
 ZDYT3-4.54.50m

 Overall length.....1.53m
 Overall width.....0.70m
 Overall height
 ZDYT3-3.51.64m
 ZDYT3-4.01.81m
 ZDYT3-4.51.98m
 Platform size.....0.90 X 0.64m
 Ground clearance.....0.05m
 Wheelbase1.24m
 Turning radius.....0

 Drive motors.....2X24VDC/0.4kw
 Lifting motor.....24VDC/2kw

 Travel speed
 Stowed.....4 km/h
 Raised.....1.1 km/h

 Up/Down speed
 ZDYT3-3.5.....17/19 sec
 ZDYT3-4.0.....20/22 sec
 ZDYT3-4.5.....23/25 sec

 Batteries.....2X12V/120Ah
 Integrated charger.....24V/12A


 Gradeability.....25%

 Tyres
 Drive motorsφ230X80mm
 Front wheels.....6 in

 Weight
 ZDYT3-3.5655kg
 ZDYT3-4.0665kg
 ZDYT3-4.5675kg

Standard equipment

- Can Bus Technology
- Proportional controls
- Battery charge indicator
- Forklift pockets
- Safety brackets
- Low voltage alarm
- Emergency down button
- Charger protection
- Controller temperature protection
- 2WD
- Over loading limited



ZDYT3-3.5 1.64m
 ZDYT3-4.0 1.81m
 ZDYT3-4.5 1.98m



ZDYT3-3.5 5.50m
 ZDYT3-4.0 6.00m
 ZDYT3-4.5 6.50m

